



Ryan, A., Keany, S., Eleftheriadou, O., Ballet, R., Cheng, H-Y., & Sim, E. (2014). Mechanism-based inhibition of HsaD: a C-C bond hydrolase essential for survival of *Mycobacterium tuberculosis* in macrophage. *FEMS Microbiology Letters*, 350(1), 42-47.  
<https://doi.org/10.1111/1574-6968.12302>

Peer reviewed version

Link to published version (if available):  
[10.1111/1574-6968.12302](https://doi.org/10.1111/1574-6968.12302)

[Link to publication record in Explore Bristol Research](#)  
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via Oxford University Press at <https://academic.oup.com/femsle/article/350/1/42/555894> . Please refer to any applicable terms of use of the publisher.

## University of Bristol - Explore Bristol Research

### General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:  
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/ebr-terms/>

Figure 1:




Figure 2:







Figure 3:



Sup Fig 1.



Sup. Fig. 2



Sup. Fig. 3

Protein	MW predicted /Da	MW actual /Da
HsaD	34039	34045 ±7
HsaD - DCI	34235	34231 ±12